UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 23, 2013

Dr. Norma C. Pangilinan
Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Subject:

Label notification to add restrictions for the state of Oregon, per PRN 98-10

Dear Dr. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated December 10, 2013 for "Merit 0.5 G Insecticide" EPA Registration No. 432-1328.

The Registration Division (RD) has conducted a review of the request for applicability under PRN 98-10 and finds that the changes requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Julie A. Chao

Insecticide-Rodenticide Branch Registration Division (7505P)

ing Amel a

Office of Pesticide Programs

2/7

Please read instructions on reverse before co. g form.	. Form Approv. IB No. 2070-006	O. Approvel expires 2-28-9		
SEPA Environmental Prote Washington, DO	Registration ection Agency Amendment	OPP Identifier Number		
Applic	ation for Pesticide - Section I			
1. Company/Product Number 432-1328	2. EPA Product Manager 3. Pr Venus Eagle	oposed Classification		
4. Company/Product (Name) Merit 0.5G Insecticide	PM# 1	Nestricted		
5. Name and Address of Applicant (Include ZIP Code) Bayer Environmental Science 2 T. W. Alexander Drive Research Triangle Park, NC 27709 Check if this is a new address	6. Expedited Reveiw. In accordance with (b)(i), my product is similar or identical in coto: EPA Reg. No. Product Name	mposition and labeling		
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	<u></u>	Agency letter dated NOTIFICATION!		
Explanation : Use additional page(s) if necessary. (For some To revise label to add the pollinator protection statement restrictly.	ection I and Section II.) icting use on linden trees that is being required by the Oregon Depart	ment of Agriculture.		
	Section - III	and the contract of the state o		
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging Yes No No Securification must Version in Technique (Contain the contain		c		
be submitted	, same and a second to	0 C C C C C C C C C C C C C C C C C C C		
Lebel Container	S) Retail Container 5. Location of Label Direction	ons c c c c c c c c c c c c c c c c c c c		
6. Manner in Which Label is Affixed to Product	ithograph Other cccc aper glued ccccc	, <u>c</u> ccccc c		
	Section - IV	0		
1. Contact Point (Complete items directly below for identifi	ication of individual to be contacted, if necessary, to process this	application.)		
Name Norma C, Pangilinan, Ph.D.	TitleTelephoneRegistrations Manager919-549-3	e No. (Include Area Code) 2428		
I certify that the statements I have made on this form	ification and all attachments thereto are true, accurate and complete. g statement may be punishable by fine or imprisonment or	6. Date Application Received (Stamped)		
2. Signature	3. Title Registrations Manager			
4. Typed Name Norma C. Pangilinan, Ph.D.	5. Date December 10, 2013			

Bayer CropScience

Document Processing Desk (NOTIF) EPA - Office of Pesticide Programs (7504P) One Potomac Yard, Room S-4900 2777 S. Crystal Drive Arlington, VA 22202

NOTIFICATION

DEC 2 3 2013

Attn:

Venus Eagle,

Product Manager Team 1

Registration Division, Insecticide-Rodenticide

Subject: Label Notification with Oregon Dept of Agriculture Requirement

Merit 0.5 G Insecticide (EPA Reg. No. 432-1328)

December 10, 2013

Dear Ms. Eagle

The enclosed Notification is being submitted to add the pollinator protection statement restricting use on linden trees that is being required by the Oregon Department of Agriculture.

Bayer CropScience P. O. Box 12014 2 TW Alexander Drive Research Triangle Park NC 27709

Tel: 919 549-2000

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this application:

1. Completed EPA Form 8570-1

2. copies of the revised product label plus one highlighted copy tracking, revision to label.

Please do not hesitate to call (919-549-2428) or e-mail ne (norma.pangilinan@bayer.com), if you have any questions.

Sincerely,

BAYER ENVIRONMENTAL SCIENCE A DIVISION OF BAYER CROPSCIENCE

NORMA C. PANGILINAN, Ph.D,

Registrations Manager

Hapangilina

GROUP 4A INSECTICIDE

cečec

Merit® 0.5 G Insecticide

For systemic insect control in turfgrass and landscape ornamentals.		
ACTIVE INGREDIENT:		
Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	0.5%	
OTHER INGREDIENTS:	<u>99.5%</u>	
TOTAL:	100.0%	
EPA Reg. No. 432-1328	EPA Est. No	

Net Contents: 20 lb, 30 lb, 50 lb

STOP - READ THE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN

CAUTION

PARA EL USUARIO: Si usted no lee o entiende inglés, no use este producto hasta que le hayan explicado completamente las instrucciones que figuran en la etiqueta.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-331-2867

,	FIRST AID
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lefts present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
product container or label w	oll free the Bayer Environmental Science Emergency Response Telephone No. 1-800-334-7577. Have a vith you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

NOTIFICATION

DEC 2 3 2013

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not formulate this product into other end-use products.

RESISTANCE MANAGEMENT RECOMMENDATIONS

Some insects are known to develop resistance to insecticides after repeated use. As with any insecticide, the use of this product should conform to resistance management strategies established for the use area.

MERIT 0.5 G Insecticide contains a Group 4A insecticide. Insect biotypes with acquired or inherent resistance to Group 4A insecticides may eventually dominate the insect population if Group 4A insecticides are used repeatedly as the predominant method of control for targeted species.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children; preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577 or contact Chemtrec at 1-800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling, if available, or dispose of empty bag in a sanitary landfill, by incineration, or if allowed by the state and local authorities, by burning. If burned, stay out of smoke.

APPLICATION INFORMATION

APPLICATION TO TURFGRASS

Merit® 0.5 G Insecticide can be used for the control of soil-inhabiting pests of turfgrass such as northern and southern masked chafers, Cyclocephala borealis, C. immaculate, or C. lurida; Asiatic garden beetle, Maladera castanea; European chafer, Rhizotrogus majalis; Green June beetle, Cotinus nitida; May and June beetles, Phyllophaga spp.; Japanese beetle, Popillia japonica; Oriental beetle, Anomala orientalis; billbugs, Sphenophorus spp.; annual bluegrass weevil, Listronotus maculicollis; black turfgrass ataenius, Ataenius spretulus; Aphodius spp.; sugarcane beetle, Euetheola humulis rugiceps; crane flies, Tipula spp.; chinch bugs, Blissus spp.; and mole crickets, Scapteriscus spp. Merit 0.5G Insecticide also can be used for suppression of cutworms.

Merit 0.5 G Insecticide can be used as directed on turfgrass in sites such as home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields. **Merit 1.5G Insecticide cannot be used on commercial sod farms.

The active ingredient in Merit 0.5 G Insecticide has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made proceeding or during the egg laying period. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control will be achieved when applications are made prior to egg-hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch. Do not apply when turgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved with the soil of the so

Restrictions: Applications cannot exceed a total of 80 lb (0.4 lb of active ingredient) per acre per year.

APPLICATION TO ORNAMENTALS

Merit 0.5 G Insecticide can be used as a broadcast application on ornamentals in commercial and residential landscapes. We'rif 0.5 G Insecticide is a systemic product and will be translocated upward within the plant system. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation or rainfall to move the active ingredient into the soil. Make application prior to anticipated pest infestation to achieve optimum levels of control.

Restrictions: Not for use in commercial greenhouses, nurseries, on sod farms or on grass grown for seed. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

APPLICATION EQUIPMENT

Apply Merit 0.5 G Insecticide uniformly over the area being treated with normally used granular application equipment. Both drop-type and rotary-type spreaders may be used to apply Merit 0.5 G Insecticide. Do not use spreaders that would apply the material in concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

APPLICATION RATES					
CROP		PEST	DOSAGE MERIT 0.5 G Insecticide		
Turfgrasses	Larvae of:	European crane fly	50 to 80 lb per acre		
	Annual bluegrass weevil	Green June beetle	or		
	Asiatic garden beetle	Japanese beetle	1.2 to 1.8 lb per		
	Billbugs	Northern masked chafer	1,000 sq ft		
	Black turfgrass ataenius	Oriental beetle			
	Cutworms (suppression)	Phyllophaga spp.			
	European chafer	Southern masked chafer			
	prior to egg hatch of the targ	For optimum control of grubs, billbugs, European crane fly and annual bluegrass weevil, make application prior to egg hatch of the target pest. Be sure to read "APPLICATION EQUIPMENT" Section of this label.			
	Chinch bug (suppression)	Mole crickets	80 lb per acre		
			or		
			1.8 lb per 1,000 sq ft		
	For suppression of chinchbu	ugs, make application prior to the hate	ching of the first instar nymphs.		
			or large nymphs are present and actively edial insecticide to minimize damage to turf.		

Consult your local State Agricultural Experiment Station, or State Extension Turf Specialists for more specific information regarding timing of application.

NOTE: For optimum control, if rainfall does not occur within 24 hours after application, irrigate to move the active ingredient through the thatch. On golf courses, irrigate treated areas following application. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

RESTRICTION: Do not apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

	APPLICATION RATES FOR USE ON ORNAMENTALS	c c
CROP	PEST	DOSAGE EMERIT 0.5 GET CONTROL OF THE
Landscape Plantings (including trees, shrubs,evergreens, flowers, foliage plants, and ground covers)	White grub larvae (such as Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp. Asiatic garden beetle, Oriental beetle)	1.4 to 1.8 lb (Control of the control of the contro

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.

NOTE: For optimum control mechanical incorporation, irrigation or rainfall should occur within 24 hours after application to move the active ingredient into soil. Avoid runoff or puddling of irrigation water following application.

Refer to label sections on application equipment and spreader settings.

Do not apply this product, by any application method, to linden, basswood or other Tilia species.

(SPREADER SETTING TABLE TO BE INSERTED HERE)

RESTRICTIONS

Do not apply MERIT 0.5 G Insecticide to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant. Do not apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

Treated areas may be replanted with any crop specified on an imidacloprid label, or with any crop for which a tolerance exists for the active ingredient.

For crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established, a 12-month plant-back interval must be observed.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, because of manner of use and other factors beyond Bayer CropScience LP's control it is impossible for Bayer CropScience LP to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

PRODUCED FOR
Bayer Environmental Science

A Division of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709

Merit® 0.5G Insecticide (Pending) 12/05/2013